

Jcase fuse

PDF Download

Download

Search for the part s number you wish to receive samples. Or, visit the sample center page. Access specifications, certifications, check availability and order parts below. Littelfuse, Inc. We use cookies to collect information about how you interact with our website and to remember you. We use this information to improve and customize your browsing experience and for analytics about our visitors on this website and other media. To find out more about the cookies we use, see our Privacy Policy. By continuing, you agree to the use of our cookies. By selecting among and accepting to our use of the cookie categories below, you direct Littelfuse to store cookies on your device and disclose information as described in our Privacy Policy. If you do not direct us to collect any categories of cookies, a single essential cookie will be used in your browser to remember your preference not to be tracked. When you use our website, we collect personal data about you and your use of the Website, through cookies and analytics tools. We may also collect personal data such as your name, job title, company name, address, email address and telephone number either directly from you or by combining information we collect through other sources. Because Littelfuse respects your right to privacy, you can choose to modify the cookies option and disallow some of them. Click on the different category headings to learn more and change default settings. However, blocking some types of cookies may impact your experience of the site and the services we are able to offer. There are cookies which are needed for our website, applications or services to function properly. For example, these cookies remember your preference not to be tracked and identify trusted web traffic. These cookies collect information about how visitors and users use our website, applications, and services. These cookies enable us to improve our website, for instance, by ensuring that users are finding the required information. These cookies don't collect information that identifies a visitor or user. All information collected by these cookies is aggregated and anonymous. These cookies allow our website, applications and services to remember choices you make such as your preferred language and provide enhanced, more personal features. They may also be used to provide services you have asked for. The information these cookies collect may be anonymized and they cannot track your browsing activity on other websites. These cookies are used to deliver advertising that may be relevant to you and your interests. They are also used to limit the number of times you see an advertisement as well as help measure the effectiveness of an advertising campaign. They remember that you have visited a website and this information is shared with other organizations such as advertisers. Products Automotive Sensors Automotive Sensors Littelfuse Automotive Sensor Products offer a wide range of sensors for use in monitoring various vehicular functions in the areas of passenger safety, comfort and convenience plus vehicle powertrain, chassis and emission applications. Chassis Comfort and Convenience. Emissions Passenger Safety. Powertrain xEV Sensors. Littelfuse battery management devices provide methods of conserving battery power, protecting against over-discharge, combining and protecting auxiliary equipment such as liftgate motors. Littelfuse battery mini-Breakers provide battery cell protection for high-capacity Lithium Polymer and prismatic cells. Metal Hybrid Protection. Electrical sockets, plugs and coils used for connection of a truck and trailer on commercial vehicles or caravans for 12 and 24V systems. Connector Accessories Greycon Connectors. Common Mode Noise Filters CMF attenuate common mode noise in differential and balanced transmission, and power supply and audio lines. Littelfuse offers a comprehensive line of fuse blocks, fuse holders, and fuse accessories for automotive, electronic, and electrical markets. Fusible Switches and Panels Fusible Switches and Panels Provide a complete, one-piece solution for easy procurement and code compliance. Dissipate high voltage transients through a contained plasma gas with high surge capability, low capacitance and small size. Magnetic sensing products utilizing Reed and Hall Effect technologies, with custom solutions available. Low capacitance polymer base product for protecting high speed data circuit from ESD damage and maintaining data integrity. Polymer-enhanced, precision Zener diodes that offer resettable protection against multi-Watt fault events without the need for multi-Watt heat sinks. Power Semiconductors Power Semiconductors High reliability power semiconductors utilize the latest technology. Stacks, Subsystems, and Assemblies Bare Die, TD and Chip Telecom. Our surge protection devices SPDs and modules are designed to provide protection from transient overvoltage. They are thermally-protected and built with high-quality, dependable materials. Features manually-operated, foot-operated, and mechanically-operated switches; and switches operated by temperature or pressure. Reliable standard and thermal protected varistor, available in a variety of forms, surge current capability up to 70, Amp. Radial Leaded Specialty Surface Mount. Thermally Protected. Custom Circuit Protection Solutions. Electronic Testing Services. Need the Littelfuse equivalent to a competitor part? Enter the competitor part number here. Check distributor stock levels by entering in full or partial part numbers Cancel. Roll Over to Zoom. Order Sample View Part Datasheets. Packaging Types Boxed - Product in pillboxes or loose parts in chipboard box. Bulk - Loose parts in poly bag. Minimum order quantities apply. Carded - Carded retail blister packaging. If the product environmental information that you are looking for does not appear in this tab, please complete the Product Environmental Information Request Form. Connect with Littelfuse. This website stores cookies on your device. Essential Performance and analytical technologies Functionality Targeting or advertising. Always Active. Performance and analytical technologies. Targeting or Advertising. By clicking Allow All or Save Settings you agree and accept our terms and conditions. Carded Product. If you are not a regular in the automotive fuses section at your local NAPA store, you are probably scratching your head at the alphabet soup in that last sentence. Not to worry, we are here to help you make the connections you need without bogging down in the mire of complex electronical jargon. A fault can be anything from a dead short where the positive voltage shorts to ground , to a damaged component. When faults happen, the power feeding the component must be disconnected immediately. The most common cause of automotive fires is electrical shorts. Pulling too much amperage through a wire always leads to that wire getting hot, and eventually it catches fire. If you have ever experienced a wire fire, it is quite scary, especially if you are actively driving. Auto makers design circuit breakers into every component in your vehicle, and most of them are housed in one or two central locations. These are the fuse boxes. Some vehicles have individual fuse boxes in various locations, but most vehicles use a centralized master fuse box, much like the breaker box in your home. There are many types of circuit breakers, ranging from sacrificial fuses to resettable circuit breakers , and then there is the classically dreaded fusible link , which is the bane of many a mechanic. This article will address and identify the most common types of automotive fuses that you may encounter. All of these automotive fuse types are destroy themselves in the process of breaking the circuit. This is done through a piece of metal that melts at a certain temperature point. Most American vehicles went away from glass fuses in These fuses are rated for 32v DC and cover from 4 amps up to There are numerous designs for automotive glass fuses. Slow-burn fuses, like the MDL type, are timed fuses. SFE â€" These are the original glass fuses for automotive use. SFE stands for Society of Fuse Engineers, and have different lengths so that the wrong fuse cannot be installed into the wrong placement. This allows the MDL fuse to resist higher amperes for very brief moments, such as a high-draw from a compressor or fan kicking on. Bosch â€" Used in older European vehicles, these plastic barrel fuses have exposed metal fuse link. They install similar to a AA-type battery between two flat springs. Lucas â€" The much maligned Lucas wiring system is used on British vehicles, and of course they use different fuses from everyone else with a convoluted rating system. These are ceramic barrel fuses similar to the Bosch style. When replacing a Lucas fuse with a non-Lucas glass-type fuse, you use the smallest rating for the new fuse. Measurements are 9. Micro3 â€" Also known as ATL, these These are generally used for higher voltage applications and are time-delayed. They range from 15 to 60 amp ratings. When you need to manage high current, you need a big fuse. These fuses are large and generally mount with bolts or in some case, large blades. They are a bolt-down fuse and are slow blow. These fuses measure 19 x 68 mm. Ratings range from 23 up to amp. These slow blow fuses measure 10mmx 41mm. ANL â€" These fuses measure 20 x 82 mm and cover a range from 20 to amp. Unlike the other bolt-down fuses, this design has slotted ends, so the bolts do not have to come out completely. It is mounted with a single bolt. Fuse ratings range from 40 to amp. Class-T â€" commonly used for EV and hybrid vehicles, the class-T fuse is a high voltage fuse. These are available in amperage ratings from 10 up to amps, but the voltage capacity is much higher than volts, as these are specifically for the battery packs, which are in the to volt range. Class T fuses are fast blow, and have the fastest blow speed of all high current fuses. All non-glass sacrificial fuses are color coded for their amperage. The codes change based on the fuse type. The most common fuses you will encounter are blade type, so we have the basic color codes for them here:. You will notice that the color do repeat. In most cases this is because the fuse types have limits, such as a MAXI fuse does not go below 20 amps. Manual reset breakers are mostly used for aftermarket applications such as car audio or lighting. Some manufacturers use auto-reset breakers for certain devices that have high current draw during start-up, such as cooling fans or electric motors. The benefit of an auto-reset breaker is that they reset themselves in the event that the initial draw is too high due to heat or other issues. This means your cooling fans will still work if they experience a brief high-draw issue, without have to replace the fuse. An auto-reset breaker is not a good idea for electronics because it will constantly try to reset in the event of a failure or short, and that is not a good thing. Manual breakers operate just like a sacrificial fuse, but instead of replacing the fuse, you simply click the switch or button on the breaker and you are back in business. These are beneficial for aftermarket circuits where blown fuses are common car audio, added lights, etc , as high-current fuses are not cheap. Most sacrificial automotive fuses are obvious when it is bad, but not always. These fuses have a metal bar that literally burns up, disconnecting the power source from the rest of the circuit. If the little bar is melted, the fuse is bad. This does not always happen where you can see it. This is a particular problem that effect glass fuses. You cannot see the entire fusible element; the metal caps on either side prevent it. Unlike blade fuses, the element is soldered to the cap. This is most common with high-amp glass fuses. Using a test meter not a test light , set to continuity where the unit beeps when the probes are touched together , and touch each lead to the ends or to the test terminals of the fuse. Any other reading means there is problem with the fuse and it should be replaced. High-amp glass fuses are notorious for melting the solder at lower amp ratings, so you may not have an actual problem, it could just be a bad fuse. This is why glass fuses are no longer used in most automotive applications. Replacing a bad fuse is fairly easy in most cases, but you do need to take a few precautions. First, make sure the vehicle is off. This can cause the fuse to pop even if you have rectified the actual problem due to the initial connection. If the problem has not been rectified, the fuse is going to pop anyway, so it is best not to have it in your hand when that happens. If your circuit is always live has power even with the key off , then you should disconnect the ground terminal of the battery. Bladed, cartridge, and non-glass bladed fuses can be really tricky to get out of their sockets. Most vehicles come with a small plastic tweezer tool to remove the fuses, but you can use needle-nosed pliers in the likely case that the tool is missing. A socket or nut driver is the best option, as a wrench can accidentally bridge the gap on the fuse terminals and again, that is rarely a good thing to do. The most difficult to remove fuse is a glass-type barrel fuse. These fuses are delicate. When the fuse goes bad, the glass can break, but moreover, it can break when you are trying to get it out. Because the spring terminals are tight, these fuses require some effort to remove. It is a good idea to use a non-conductive tool to pry one side of the fuse out of the holder. Plastic or wood is perfect. The short answer is almost never. There are a select few instances where you can go up to a larger fuse, but only when you absolutely know that the wiring is capable of handling the extra current. Example 1: You have a car audio system with an amplifier; The amp is wired with a 4-ga wire that is 16 feet long. The previous amp had a amp fuse, the new amp requires 60 amps. The wire capable of handling the larger load, go ahead and increase the fuse size. Example 2: You replaced the head light bulbs with fancy new high-output bulbs. DO NOT increase the fuse size for the headlights. In fact, you need to install a relay and re-wire the headlights with larger gauge wires. The current draw of high-output bulbs is more than the factory wires can handle and will result in a fire. Armed with the knowledge we have provided, you should be able to test and replace any fuse with ease. Make sure you follow the safety protocols to protect yourself and your vehicle. Coins, aluminum foil, etc are not suitable circuit breakers in any situation. DO NOT bypass the fuse, that is a sure-fire way to end up in a catastrophic situation. Know How. A life-long gearhead, Jefferson Bryant spends more time in the shop than anywhere else. His career began in the car audio industry as a shop manager, eventually working his way into a position at Rockford Fosgate as a product designer. In , he began writing tech articles for magazines, and has been working as an automotive journalist ever since. Jefferson has also written 4 books and produced countless videos. Jefferson operates Red Dirt Rodz, his personal garage studio, where all of his magazine articles and tech videos are produced. Great article! Keep sharing nice post. Your email address will not be published. Save my name, email, and website in this browser for the next time I comment. Sacrificial Circuit Breakers Fuses All of these automotive fuse types are destroy themselves in the process of breaking the circuit. Glass Fuses Most American vehicles went away from glass fuses in Various glass fuses have different diameters and widths, depending on the style. These SFE fuses have different widths so that they only fit the appropriate circuit. This AGU fuse is a 40 amp, notes on the side. The high-amp glass fuses can melt the solder before the actual fuse pops. Barrel Non-Glass Bosch â€" Used in older European vehicles, these plastic barrel fuses have exposed metal fuse link. These Bosch barrel fuses are used in European cars, through the s. This is a amp model. They are labeled with paper inside the glass, which makes it hard to see if the fuse is still good. The classic ATC fuse is a plastic blade type. The amperage is noted by both the color and printed on the top. You can test these fuses through the exposed tabs with a meter. This is the big boy MAXI fuse, these are used for high-current applications. Cartridge These are generally used for higher voltage applications and are time-delayed. High-Current When you need to manage high current, you need a big fuse. ANL fuses are also used for high-current applications, and can go up to amps. Color Coding All non-glass sacrificial fuses are color coded for their amperage. The most common fuses you will encounter are blade type, so we have the basic color codes for them here: Blade Fuses Color Rating Dark Blue 0. These re-settable breakers are useful for many applications. This is a buss bar made of several auto-reset breakers. These are often used in OEM applications where there may be a short high amp draw that is normal, but would trip a standard fuse. Is it bad? This is the continuity setting on a multimeter. It is your new best friend. Replacement Replacing a bad fuse is fairly easy in most cases, but you do need to take a few precautions. When is it safe to use a bigger fuse? Categories Know How Tags car fuse , circuit breaker , electrical fuse , electrical system , fuse , fuse box , wiring. Related Articles. Next Next post: Enraptured by the Ford Raptor! Leave a Reply Cancel Reply Your email address will not be published. Close Menu Overlay. Facebook Twitter Instagram YouTube. Warm Tips: Please fill out the below form and we will contact you as soon as possible. The T components of Jotrin Electronics are carefully chosen, undergo stringent quality control, and are successfully meet all required standards. The production status marked on Jotrin. If you did not find what you were looking for, you can get more value information by email, such as the T Inventory quantity, preferential price, and manufacturer. We are always happy to hear from you so feel free to contact us. We will inspect all the goods before shipment,ensure all the products at good condition and ensure the parts are new originalmatch datasheet. After all the goods are ensure no problems afterpacking, we will packing safely and send by global express. It exhibitsexcellent puncture and tear resistance along with good seal integrity. If some of the items you received aren't of perfect quality, we would resiponsibly arrange your refund or replacement. But the items must remain their orginal condition. Images are for reference only. Product comparison. Add To Cart Inquiry. Request for Quotation. T Product Details The T Related Products The Ratings Please rate the product! Comment after login. Paypal charge 4. We provide high quality products, thoughtful service and after sale guarantee. Ship with ESD antistatic protection. Guarantees 1. We provide 90 days warranty. T devices; we pay more attention to the channels and quality of T products than any other customer. We strictly implement supplier audits, so you can purchase with confidence. Q: How to find the detailed information of T chips? T pictures? You can use Jotrin's intelligent search engine, or filter by Fuse category, or find it through Littelfuse Inc Information page. T price and stock displayed on the platform accurate? After submitting an order for T, it is recommended to confirm the order with Jotrin salesperson or online customer service before payment. Q: Can I place an order offline? We accept offline orders. We can provide order placement service. You only need to log in , click " My Orders " to enter the transaction management, and you will see the "Order Details" interface. After checking it, select all and click "Place Order". In addition, you can enjoy coupons or other selected gifts when placing orders online. Q: What forms of payment can I use in Jotrin? Q: How is the shipping arranged and track my package? Once your order has been processed for shipment, our sales will send you an e-mail advising you of the shipping status and tracking number. Note: It may take up to 24 hours before carriers will display tracking information. In normal conditions, Express delivery needs days, Registered Mail needs days. Q: What is the process

53 stand alone
1 switch 2 lights wiring diagram
gm radio unlock codes list

for returns or replacement of All goods will implement Pre-Shipment Inspection PSI , selected at random from all batches of your order to do a systematic inspection before arranging the shipment. If there is something wrong with the T we delivered, we will accept the replacement or return of the T only when all of the below conditions are fulfilled: 1 Such as a deficiency in quantity, delivery of wrong items, and apparent external defects breakage and rust, etc. T is unused and only in the original unpacked packaging. Q: How to contact us and get support, such as T datasheet pdf, T pin diagram? Need any After-Sales service, please feel free contact us: sales jotrin. Littelfuse Inc. Littelfuse offers innovative circuit protection solutions. Wherever you look, Littelfuse is there. Streetlights, office buildings, cars, trucks, factories, computers, heating and cooling systems, elec Account Center. Live Chat. Product comparison Supporting the comparison of similar products. Compare Clear.